# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



# Prince's Descriptibe Catalogne of Grapes.

### CLASS I.—FOREIGN GRAPES—VITIS VINIFERA.

These are in this latitude suitable only for culture in Graperies, with the exception of a few varieties which are sufficiently hardy for training on walls having a southern exposure, such as the Chasselas of several varieties, Delaware, White Tokay, and the early Burgundy or Morillon Varieties. At the South they succeed in open culture.

This collection is remarkably select, and comprises only the most highly approved varieties.

Prices.—These will in all cases be as low or lower than any other Nursery for Vines of similar sizes. Scions of many of the more plentiful varieties can be supplied in January.

Vines of one year, grown in pots, 50 cents; two years, 75 cents; extra large vines selected, \$1 each. When a large number are wanted, a liberal deduction on the prices will be made.

#### CHASSELAS VARIETIES.

- 1. Beach, best early black, see class iu.
- 2 Blussard blane, 75c.
- 3 Chasselas de Fontainbleau.
- Bar-sur Aube.
- Chasselas doré (of Paris). 4 Chasselas de Florence.
- 5 Chasselas Musqué.
- Joslyn's St. Albans. 51 Chasselas Vaudois, excellent, \$1.
- 6 Ciotat-Parsley-leaved.
- 61 Deccan's Superb.
- 7 Early White Malvasia. Early White Muscadine.
  - Early White Sweetwater. 8 Golden Chasselas (J. F. Allen).

- 9 Gros Coulard.
  - Prolific Sweetwater.
- Child's Superb?
  10 Macready's Early White.
- 11 Pitmaston White Cluster. Scotch White Cluster.
- 12 Tokay des Jardins.
- 13 Rose or Red Chasselas.
- 14 Royal Red Chasselas.
- 15 Royal Muscadine. White Nice or Xeres.
- 16 White Chasselas.

Chasselas blanc.

White Sweetwater, of some.

### FRONTIGNAN AND OTHER MUSCAT VARIETIES.

- 17 August Muscat, very early.
- 18 Black Frontignan.
- 19 Canon Hall Muscat, much like 24.
- 20 Early Rhenish Muscat. Petit Rauschling.
- 21 Early Muscat, Wilmot's.
- 22 Early Black Muscat.
- 23 Grizzly or Red Frontignan.

- 24 Muscat of Alexandria, White. Charlesworth Tokay.
- 25 Muscat of Alexandria, Black.
- 26 Muscat Portuguese.
- 27 Muscat, Austrian.28 Muscat Violet hatif.
- Blue Frontignan.
- 29 White Frontignan.

#### OTHER FOREIGN GRAPES.

- 30 Aleppo, striped, 75c.
- 31 Aspirant blanc, seedless, \$1. .
- 32 Black Cluster-Black Burgundy.
- 33 Black Corinth-Zante Currant, \$1.
- 34 Black July.
- 35 Black Damascus.
- 36 Black Hamburg.
- 37 Black Muscadine.
- 38 Black Lombardy,
- West's St. Peter. 39 Black Morocco-Purple Damask.
- 40 Black Prince.
- 41 Black St. Peter, late.
- 42 Black Tripoli, late.
- 43 Bishop (much resembles 57).
- 44 Bowker (resembles 72).
- 45 Chaptal.

- - Gros Gromier du Cantal.
- 47 Delaware, (a Swiss variety), has been sold as a native. See Description.
  - Vines of different ages and sizes, \$2 to \$3.
- 48 Esperione.
- 49 Frankendale-Frankenthal.
- 50 Gros Bleu, \$1.
- 51 Gros Guillaume, \$1.
- 52 Kishmish, or Sultane, \$1.
- 53 Lombardy-Flamed Tokay.
- 54 Malaga Red-Red Lisbon, 75c.
- Red Muscadel. 55 Malaga, White, 75c.
- White Muscadel.
- 56 Mill Hill Hamburgh.
- 57 Portien noir,

58 Prince Albert.

Black Barbarosa.

59 Raisin de Calabre.

Calabrian Raisin.

60 Red Traminer, 75c. to \$1.

61 Rauschling le grand.

62 Regnier de Nice.

63 Richmond Villa Hamburgh.

64 Syrian White.

65 Verdelho.66 Victoria Hamburgh.67 White Bual

68 White Burgundy.

White St. Peter.

69 White Corinth, seedless.

70 White Gascoigne. 71 White Morocco.

72 White Hamburgh.
White Raisin.

73 White Nice or Xeres, see No. 15.

74 White Riessling.75 White Tokay.

76 Wilmot's Black Hamburg, late. 77 Wilmot's Black Hamburgh, No. 16.

78 Wortley Hall Seedling, late.

79 Zinfardel, or Zinfindal.

#### NEW FOREIGN GRAPES, \$1 unless noted otherwise.

81 Black Muscat Hamburgh, \$3.
82 Bowood Muscat, \$2.
83 Buckland Sweetwater, \$1 50.
83½ Champion Hamburgh.
84 Early Black Hamburgh, large oval, violet, first quality.
85 Golden Hamburgh, Stockwood's, \$2.
86 Green Madeira—Vert de Madère, large, white, oval, honied sweet, first quality.
87 Lady Downes, (may prove 78), large, black oval, sweet, very late.
88 Madeira Muscat, \$1 50.
89 Marchioness of Hastings. \$2.

90 Morillon de Blerzy, medium, black, first

91 Muscat de Sarbelle, \$1 50.

92 Muscat Fleur d'Oranger, large, round, yellowish, musky, delicious.

93 Muscat de St. Laurent, \$1 50. 94 Muscat Romain, \$1.

95 Sultanine, from Smyrna, medium, round, black, first quality.

96 Schiraz, large black, early, \$1.

97 Trentham Black, \$3. 98 White Morocco, large, white, oval, delicious.

Rejected Foreign Grapes: Black Portugal, or Black Ferrar; Miller's Burgundy; Palestine;

### CLASS II.—AMERICAN INDIGENOUS GRAPES.

Prices.—The prices named are for single Vines. When six or twelve, or more of any variety are ordered, a reduction will be made. Extra Large Bearing Vines will be charged in proportion to their value. As the prices of many varieties of Native Grapes will be fluctuating according to the extent of the demands and the relative supply or scarcity, we shall issue Priced Catalogues twice in each year, and we also make this proposal as the basis of our transactions. Any List of Grapes extracted from a priced Catalogue of any reliable nursery will be supplied by us at the same or at lower rates.

Grapes for Vineyards.—Isabella, Catawba, Clinton, and Norton's Virginia can be supplied by thousands of one and two years of age at very reduced rates.

Note.—Our Grape Vines are nearly all grown in the open air, and not forced in Hothouses, and they are consequently much more hardened to the severities of our climate.

| 101 Albino or Albiness                        |   | 50 | 117 Big Ozark, (Missouri)                 | 1 | 00  |
|---|---|----|---|---|-----|
| 102 Alvey                                     | 1 | 50 |   |   |     |
| 103 Alexander                                 |   | 38 | none singly.                              |   |     |
| 104 Allegany Island, (may be identical        |   |    | 119 Black King                            |   | 75  |
| with Franklin).                               |   |    | 120 Black Muscadine, (Carolina)           |   | 75  |
| 105 Allen's Hybrid. See Class III.            |   |    | 121 Blackstone                            |   | 75  |
| 106 Amber Catawba, early                      | 1 | 00 | 122 Bland (true)                          |   | 75  |
| 107 American Hamburg                          |   | 50 | 123 Braddock, early, rather large, estim- |   |     |
| 108 Anna1 to                                  | 2 | 00 | able                                      | 1 | 0.0 |
| 109 Amanda                                    | 1 | 00 | 124 Brown Guignard                        | 1 | 00  |
| 110 Ariadne, (Seedling of Alexander)          | 1 | 00 | 1   | 1 | 00  |
| 111 Arkansas, 6 varieties of different colors | 1 | 00 | 126 California Grapes, see Class III.     |   |     |
| 112 August Coral, (true)                      | 1 | 00 |   | 1 | 00  |
| 113 Belle Isle, fruit striped, leaves varie-  |   |    | 128 Canadian Chief, see Class III.        |   |     |
| gated.  |   |    | 129 Canada Winc                           | 1 | 00  |
| 114 Bailie, (Western Virginia)                |   |    | 130 Canbys August, see York Madeira.      |   |     |
| 115 Bartram, (Ohio)                           | 1 | 00 | 131½Carolina Black Cluster                | 1 | 00  |
| 116 Baxter                                    | 1 | 00 | 131 Carolina Blue Cluster                 |   | 75  |

| 132 | Carolina Blue Musk                                 | 1  | 00  | 190              | Hannah, (Ohio)                            | 1   | 00   |
|-----|--|----|-----|------------------|---|-----|------|
| 133 | Carolina Globose                                   |    | 75  | 191              | TT ' (C 41 )                              |     | 00   |
| 134 | Carter's Favorite, distinct from Carter            |    |     | 192              | Hartford Prolific38 t                     | 0   | 50   |
|     | or To Kalon  | 1  | 00  | 193              | Do. do. extra large, bearing              | •   | 00   |
| 135 | Carter's Virginia                                  | -  | 00  |                  | vines                                     | 1   | 00   |
|     | Cassidy, white50                                   |    |     | 194              | Hart's White or Elizabeth                 |     |      |
|     | Catawba25  |    |     |                  | TT 11 TYTE "/                             |     | 00   |
| 138 | Do. three to four years, 50c.;                     | to | 00  | 106              | Hensel's White                            | . ' | 00   |
| 100 |  | 1  | 00  | 107              | Holmon Fordy Dunnle on Old Col.           | 0   | 19   |
| 100 | extra large, bearing age75 to                      | 1  | .00 | 191 -            | Holmes—Early Purple or Old Colony         |     |      |
| 199 | Catherine, (Conn.), new, originated                |    |     | 100              | Grape                                     |     | 75   |
|     | by N. G. Waterman.                                 | _  |     | 198              | Hudson, or Early Hudson, (black)          | -   | 75   |
|     | Cecilia, Seedling of Isabella                      | 1  | 00  | 199 .            |   | 2   | 00   |
| 141 | Cheshire, (Conn.)                                  |    | 75  | 200 .            | Hunterville                               | -   | 75   |
| 142 | Child's Superb, see Class I., No. 9.               |    |     | 201              | Husmann's Prolific, (in quantity, 50c.)   |     | 75   |
| 143 | Chilicothe   | 1  | 0.0 | 202              | Hydes' Eliza, (true)                      | L   | 00   |
| 144 | Chocolate  |    | 75  |                  | N. B We have the original vine. The       |     | le-  |
| 145 | Clara, see Class III.                              |    |     |                  | ceptive vines sold universally are Y      | 70  | rb   |
|     | Claret, (Ohio)                                     | 1  | 00  |                  | Madeira.                                  | . 0 | 1 11 |
|     | Clarke, (N. Carolina)                              | _  | 00  | 203              | Till: -: D1:C W7.41                       |     | 00   |
|     | Clinton  |    |     | 204              | Iona, red, round; Seed'g of Catawba.      | ٠,  | 00   |
|     | Do. three to four years, 50c.;                     |    | 90  | 905              | Inaballa                                  |     | 0.0  |
| 149 |  | 1  | 00  |                  | Isabella                                  | 0   | 58   |
| 150 | extra large, bearing age75 to                      |    |     | 206              | Do. three to four years, 50 cts.;         |     |      |
|     | Cloanthe   |    | 00  | 204              | extra large, bearing age 75 to 1          | L   | 00   |
|     | Cobstovine   | 1  | 0.0 | 207              | Isabella, Christea's, (Canada), im-       |     |      |
|     | Columbia   |    | 75  |                  |   | 1   | 50   |
| 153 | Columbian Muscat                                   | 3  | 00  |                  | Isabella, Wright's, better, free from rot |     | 50   |
| 154 | Concord, (extra large, §1)50                       | to | 75  | 209              | Ives' Seedling, (Conn.), very hardy       | 1   | 00   |
| 155 | Corbin, (Conn.), peculiar form, sweet,             |    |     | 210              | Jack Grape, (Longworth's Ohio)            |     | 50   |
|     | pleasant, productive, vigorous                     | 1  | 00  | 211              | Kauffman, size of Clinton, acid, com-     |     |      |
| 156 | Coriel   | 2  | 00  |                  | pact cluster.                             |     |      |
|     | Creveling  |    | 00  | 212              | Kendal, oval, very dark; size of Isa-     |     |      |
|     | Crystal  |    | 00  |                  |   | 1   | 00   |
|     | Cunningham   |    | 75  | 9191             |   |     |      |
| 160 | Cynthiana, (Red River)                             | 1  | 00  | 913              |   |     | 00   |
|     | Davenport  | -  | 75  | 210              | Kilbourn, or Kitchen                      |     | 00   |
| 101 | Delaware, See No. 47.                              |    | 10  | 915              | Kilvington                                |     | 50   |
| 100 |  |    | 50  | 916              | Kilvington                                |     | 50   |
|     | Diana, (extra large, 75c, to \$1)                  |    | 50  |                  | Lake's Seedling                           |     | 75   |
|     | Door's Seedling.                                   | 4. | F 0 |                  |   |     | 00   |
|     | Early Amber (Shakers')25                           | to |     | 218              | Lenoir                                    |     | 00   |
|     | Early Black Fox                                    |    | 38  | 219              | Little Ozark, (Missouri)                  |     | 75   |
|     | Early Red Fox                                      |    | 38  | 220              | Logan                                     | 2   | 00   |
| 167 | Early White Fox                                    |    | 50  | 221              | Long (Georgia)                            |     |      |
| 168 | Early Isabella, (ten days before                   |    |     | 222              |   | l   | 00   |
|     | Isabella)  | 1  | 00  | 223              | Los Angelos Grapes, see Class III.        |     |      |
| 169 | Eaton's Catawba                                    | 1  | 00  | 224              | Louisa50 t                                | 0   | 75   |
| 170 | Elizabeth, Seed'g of Isabella, medium,             |    |     | 225              | Louisiana                                 | 1   | 00   |
|     | round black, good flavor                           | 1  | 00  |                  | Lydia, (Ohio), new variety.               |     |      |
| 171 | Ella, (Ohio)                                       | 1  | 0.0 | 227              | Maddox                                    |     | 75   |
| 172 | El Passo   | 2  | 0.0 | 228              | Mammeth, or Monstrous Catawba             |     | 50   |
|     | Elsingburg   |    | 50  | 229              | Manockanock, (Pennsylvania)               |     | 50   |
|     | Emily, see Class III.                              |    |     |                  | Manian T                                  |     | 00   |
|     | Estelle  | 1  | 00  | 281              | Marion Port                               |     | 00   |
|     | Eugenia, Seedling of Catawba, early,               | _  |     | 932              | Martha, Thayer's                          |     | 00   |
|     | medium, round, dark red, good, very                |    |     | 233              | Maryann                                   | 0   | 75   |
|     |  | 7  | 50  | 934              | Massachusetts White, see Class V.         |     | 10   |
| 177 | productive<br>Eureka (Prince's), not yet for sale. | 1  | 90  |                  | Missouri                                  |     | EΛ   |
|     |  | 1  | 00  | 000              | Missouri Dind's Free                      |     | 50   |
| 170 | Felicia, Seedling of Isabella, estimable           | T  |     | 200              | Missouri Bird's Eye                       |     | 50   |
| 179 | Foot's Connecticut                                 | ,  | 50  | 231              |   |     | 00   |
|     | Fragrant Harrison                                  |    | 00  |                  | Monteith Cluster                          |     | 75   |
|     | Franklin   |    |     | 2383             |   |     | 00   |
|     | Garrigues50  | _  |     | 239              | Mongomery, (Duchess Co.)                  |     | 75   |
|     | Gigans (Southern), immense growth                  |    | 00  | $239\frac{1}{2}$ |   |     | 00   |
| 184 | Godman   |    | 00  |                  |   | . ( | 00   |
|     | Golden Clinton-White King                          | 1  | 00  |                  | Mottled, (Ohio), said to be valuable.     |     |      |
|     | Graham   | 1  | 00  | 241              | Muscadine, (Southern)                     | 1   | 75   |
| 187 | Gridley  | 1  | 00  |                  | Muscat Catawba, see Class V.              |     |      |
| 188 | Halifax Seedling (N. C.)                           |    | 75  | 243              | Mustang, (Texas)                          | ,   | 75   |
| 189 | Halifax (N. C.)                                    |    | 50  | J                |   |     |      |

| 244 | Napoleon, large, black, ovate, good   |    |    | 283 | Shepherd                                 | 1  | 00 |
|-----|---------------------------------------|----|----|-----|--|----|----|
|     | quality                               |    | 75 | 284 | Shonga (Gilbert's)                       |    | 00 |
| 245 | Narcissa, (Ohio)                      | 1  | 00 |     | Shurtleff, new estimable seedling        |    | 00 |
|     | Naumkeg                               |    | 50 |     | Smallwood, (N. C.)                       | 1  | 00 |
|     | North America                         | 2  | 00 |     | Somerville (Southern), small, exceed-    |    |    |
|     | North Carolina                        |    | 75 |     | ingly productive                         |    | 75 |
|     | Northern Muscadine                    |    | 50 | 288 | Summer Black                             |    | 50 |
| 250 | Norton's Virginia                     |    | 50 | 289 | Swatara                                  |    | 50 |
|     | Oconee, Hendon's                      | 1  | 00 | 290 | Taylor, or Bullitt, white1 to            | 2  | 00 |
|     | Offer                                 | 1  | 00 | 291 | Taylor's Early, (a Shaker variety)       |    | 50 |
|     | Ohio Globose                          | 1  | 00 |     | Texas Black Cluster                      | 1  | 00 |
|     | Ohio Prolifie                         | 1  | 00 | 293 | Texas Blue Muscadine                     | 1  | 00 |
|     | Ontario, (Canada)                     | 3  | 00 | 294 | Texas Post Oak                           | 1  | 00 |
|     | Oronoke, (Virginia)                   |    | 00 |     | Texas Sand Hill                          | 1  | 00 |
|     | Ozark Favorite, (Missouri), makes ex- |    |    | 296 | Theresa, Seedling of Catawba             | 1  | 00 |
|     | cellent wine                          | 1  | 00 |     | Thompson                                 | 1  | 00 |
| 258 | Pauline                               | 1  | 00 |     | To Kalon                                 | 1  | 00 |
|     | Perfumed, or Mignonette, exquisitely  |    |    | 299 | Transparent, (N. C.)                     | 1  | 00 |
|     | fragrant flowers                      |    | 50 |     | Troy—Hamburg50                           | to | 75 |
| 260 | Perkins, (true)                       | 1  | 50 | 301 | Union Village                            |    | 00 |
|     | Pitt's Favorité, (Georgia), white     | 1  | 00 | 302 | Venango, or Miner                        | 1  | 00 |
|     | Pæschel's Mammoth, (Catawba)          | 1  | 00 |     | Vine Arbor                               |    | 75 |
|     | Pond's Seedling, purple, very hardy   |    | 75 | 304 | Virginian Amber                          | 1  | 00 |
|     | Potomae                               | 1  | 00 |     | Wachita, (Louisiana)                     | 1  | 50 |
|     | Potter—Potter's Catawba               |    | 75 | 306 | Warren, (Georgia), distinct              | 1  | 00 |
|     | Pungo, (N. C.)                        | 1  | 00 | 307 | Warren's Catawba, (Mass.), carly         | 1  | 00 |
| 267 | Purdy's Prolifie                      |    | 75 | 308 | Warren's Seedling, (Mass.)               | 1  | 00 |
| 268 | Purple Catawba                        | 1  | 50 | 309 | West, small, black, juicy, no pulp, pro- |    |    |
| 269 | Raabe                                 | to | 75 | 1   | ductive                                  |    | 50 |
| 270 | Ramsdell                              |    | 75 | 310 | White Catawba, habit of Parent, said     |    |    |
| 271 | Rebecca, see Class III.               |    |    |     | to be sweet and luscious                 | 2  | 00 |
|     | Saluda                                | 1  | 00 | 311 | White Isabel!a                           | 1  | 00 |
| 273 | Saint Catherine                       | 1  | 00 | 312 | Wilcox                                   | 1  | 00 |
|     | Schuyler, rather late, round, juicy,  |    |    | 313 | Wilmington, white                        | 1  | 00 |
|     | over medium, not sweet                |    | 50 |     | Wine Home                                |    | 75 |
| 276 | Scuppernong, White                    |    | 75 |     | Winslow                                  |    | 75 |
| 277 | Do. Black or Purple                   |    | 75 | 316 | Winton                                   |    | 75 |
| 278 | Do. Blue                              | .1 | 00 |     | Wintermoot, (Penn.)                      |    | 75 |
| 279 | Do. Bula                              | 1  | 00 |     | Woodson, (Va.)                           | 1  | 00 |
| 280 | Seabrook                              | 1  | 00 |     | Wyoming, (Penn.)                         | 1  | 00 |
| 281 | Sempronia, new Seedling from Isa-     |    |    |     | York Madeira, or Canby's August          |    | 50 |
|     | bella                                 | 1  | 00 |     | Young's Seedling                         | 1  | 00 |
| 282 | September Black, (S. C.)              | 1  | 00 |     |  |    |    |

Table Grapes.—The following can be supplied by the hundred at reduced rates. Anna, Clara, Concord, Delaware, Diana, Early Isabella, Hartford Prolific, Rebecca, Canadian Chief, To Kalon, Ramsdell, Union Village, and York Madeira.

N. B.—Many varieties enumerated in various Catalogues as distinct are merely synonyms.—See Class VI. explanatory.  $\blacksquare$ 

# CLASS III.—AMERICAN HYBRIDS AND SEEDLINGS OF FOREIGN VARIETIES.

|     | Allen's Hybrid, white                  |   |    |     |                                      |   |    |
|-----|--|---|----|-----|--------------------------------------|---|----|
| 323 | Allen's Hybrid Black, No. 13           | 3 | 00 |     | large cluster                        | 1 | 00 |
| 324 | Allen's Hybrid Purple, No. 52 50 to    |   |    |     | Clara, variety of Chasselas, medium, |   |    |
| 325 | Allen's Black Hamburgh                 |   | 75 |     | white, round, sweet, delicious75 to  | 1 | 00 |
| 326 | Baltimore, like Black Burgundy, very   |   |    | 332 | Cleome (Dr. Gaskill), probably im-   |   |    |
|     | vigorous                               |   | 75 |     | ported                               | 1 | 00 |
| 327 | Beach, Seedling of Chasselas, medrum,  |   |    |     | Coleman's White, Seedling of Golden  |   |    |
|     | early, black, excellent                | 1 | 00 |     | Chasselas, similar, medium, round,   |   |    |
| 328 | Brinckle                               |   | 50 |     | sweet, fine flavor                   | 1 | 00 |
|     | Cabot, Seelling of No. 23, vine rather |   |    |     | Dorinda, Seedling of Rebecca.        |   |    |
|     |  | 1 | 00 |     | Emily, pale red, juicy, good, hardy  |   | 50 |

| 336 | Los Angelos (California), eight fine   |   |    | 340 | Rebecca, variety of Golden Chasselas,  |      |
|-----|--|---|----|-----|--|------|
|     | varieties                              | 1 | 00 |     | early, medium, round, amber, sweet,    |      |
| 337 | Manhattan, variety of Chasselas,       |   |    |     | excellent. Small. 50c., larger 75 to 1 | 00   |
|     | amber, round, excellent, loose cluster | 1 | 00 | 341 | Secord's White, a Northern Seedling    |      |
| 338 | Musqué Verdel, hybrid of No. 23 and    |   |    |     | of Chasselas, medium, round, white,    |      |
|     | 65, medium, rich purple, musky,        |   |    |     | sweet, excellent; bunch large 1        | . 00 |
|     | good flavor                            | 1 | 00 | 342 | Stetson, several Hybrid varieties not  |      |
| 339 | Raisin, Seedling from Muscatel Raisin  |   | 50 |     | yet offered.                           |      |
|     |  |   |    |     | -                                      |      |

## CLASS IV:—AMERICAN VARIETIES WHICH ARE UNKNOWN, AND WHICH ARE UNDER PROBATION.

343 Ada. 344 Amelia. 345 American North. 346 Archer (Penusylvania). 347 Barton's Early. 348 Beansville. 349 Black Claret. 350 Canaan. 351 Canadian Cherry. 352 Catawba (of Tenn.) 353 Chambersburg White, 354 Charleston. 355 Cherokee White. 356 Comstock. 357 Cynthia. 358 Diana Seedling. 359 Early Harvest. 360 Early York. 361 Edwards. 362 Erickson. 363 Eschol. 364 Free Black. 365 Goodman. 366 Hagar. 367 Helen. 368 Hess.

369 Keller.

370 Large Rhode Island.

371 Lowell Globe. 372 McLean (Tennessee). 373 Malaga Seedling. 374 Martinsburg. 375 Miles. 376 Mountain, 2 varieties. 377 Muscadine (Wisconsin). 378 Nebraska. 379 New Hanover (Southern). 380 New Hope. 381 Old House. 382 Osmand. 383 Penn. 384 Pennell. 385 Pioneer. 386 Poffinbarger (Ohio). 387 Ranney Fox. 388 Red Rhode Island. 389 Rose (Tennessee). 390 Small Rhode Island. 391 Summer (Kentucky). 392 Tryon. 393 Vermont. 394 Waynesborough. 395 Wentz Seedling. 396 White Prolific.

## CLASS V.—REJECTED VARIETIES, BEING WORTHLESS.

Blood's Black, Indifferent Varieties of the Fox | Joen. Blood's Red, Blood's White, Brown Sugar. Burlington. Chippewa, proved barren. Chapin, foreign, mildews. Charter Oak, is a Fox, no similarity to August Clappier's White, mildews. Connecticut. Coon, allied to Strawberry. Delaware Burgundy, foreign seed, mildews badly. Eudora-Perkins of some, is a large Fox.

Fitchburg, a Fox. Gross, foreign synonym, mildews.

Dartmouth. German Muscat, white, foreign, mildews.

German Wine, foreign, mildews. Gutadel, German, foreign, mildews. Indian Field, proved barren.

397 Winter (Kentucky).

Lyman.

Massachusetts White, denounced at Pom. Convention.

McGowan, or McCowen.

Morin.

Morse.

Muscat Catawba (Von Vlecks), has been denounced.

Neponset.

Purple Cluster (Victor N. Y.), foreign, mildews.

Quinnebaug. Sage, a miserable Fox.

Sharpe, or Lyon.

Shurtleff Seedling, the original variety, valueless. Strawberry, a miserable Fox.

Victor Black Cluster, foreign, mildews.

White Sugar.

## CLASS VI.—SYNONYMS OF THE PRECEDING VARIETIES.

Arkansas, from several nurseries proved Isabella. | North Carolina Seedling, is Maryann.

are Alexander.

Baldwin, is York Madeira.

Black German, is Large Marion.

Black German, is Large Black Marion.

Brown Fox, is Red Fox. Breck, similar to Isabella,

Burgundy (Ohio), is Godman.

Bush of Texas.

Canbys August, is York Madeira.

Cape, Black Cape, Cape of Good Hope,

Carter, is To Kalon. Devereux, is Lenoir.

Herbemont's Madeira, is Herbemont. Honey, is Raabe.

Hudson's Seedling, is White Isabella. Kilburne Wine, is Kilbourn.

Kirtland, is Winslow.

Lawrence's Seedling, is Isabella.

Lehman, is Catawba. Lincoln, is Herbemont.

Longworth's Ohio, is Jack Grape.

Madison County, are Long. Madison,

Mathew's Seedling, is Early Isabella. Milbourn, is Kilbourn.

Miner's, or Minor's Seedling, is Venango. Muney, is Catawba.

Ohio, is Jack Grape.

Ohio Segar Box, is Jack Grape.

Paign's, or Payne's Isabella, is old Isabella. Peters, is Isabella.

Powell, is Bland. Porter, from New Haven, proved Potter.

Ramsdale, is Ramsdell.

Rhenish, from two nurseries proved Isabella. Rothrock, is Alexander.

Schuylkill. Schuylkill Madeira. are Alexander. Schuylkill Muscadine,

Schuylkill Muscadel. Segar-Box, is Jack Grape.

Shaker, or Shaker's Seedling, is Union Village.

Spafford's Seedling, is To Kalon. Springstein, supposed to be Lenoir.

Sumpter, are Lenoir. Thurmond.

Tenessee, is Venango. The Beautiful, is To Kalon.

Vevay, - are Alexander. Winne, 5

White Isabella, is Hudson's Seedling. Wisslow's Seedling, is Winslow.

Wyman, is To Kalon. York Lisbon, is Alexander.

## DESCRIPTIONS OF SELECT FOREIGN GRAPES.—CLASS I.

Aleppo, Striped, medium, round, large cluster, berries white, black, and half of each color on the same cluster, sweet, sprightly, very productive, hardy, of easy culture.

August Muscat, deemed to be the earliest of grapes, small, black, ovate or roundish, musky, good flavor, the vine of weak growth.

Bishop, large, black, roundish, fine flavor, handsome, estimable.

Black Cluster, small ovate, pleasant sprightly flavor, cluster small and very compact, early.

hardy, suited to open culture on walls and trellises.

Black Hamburg, very large, roundish, large clusters, much shouldered, sweet, rich, first quality, very productive, a most popular variety, universally cultivated in Graperies and otherwise.

Black July, earliest of all, small, round, black, cluster small and compact, pleasant sprightly flavor, productive.

Black Lombardy, large, ovate, cluster large, sweet, sprightly flavor, excellent quality, one of the best.

Black Morocco, large, oval, dark red or violet, large cluster, sweet, good flavor.

Black Muscat of Alexandria, large, oval, musky, excellent flavor. It succeeds admirably when grown with the White and Cannon Hall Muscats, under heat ten degrees above that usual for the Hamburg and Chasselas varieties.

Black Prince, large, ovate, cluster long and often shouldered, sweet, rich, productive, excellent

Black St. Peter, large, roundish, long cluster, first quality, ripens late, hangs long after maturity, requires powerful heat.

Bowker, an American Seedling, large, white, ovate, large cluster, as handsome as White Hamburg, and of better quality, pleasant flavor, very productive.

Buckland Sweetwater, much resembles Gros Coulard, large, amber, delicious, beautiful, cluster short and shouldered, compact, ripens early.

Chasselas de Fontainbleau, medium, round, pale amber, sweet, very juicy, refreshing, excellent, very productive in the grapery or against walls, a general favorite, and more extensively cultivated than any other variety.

Chasselas Musqué, medium, round, pale amber, very rich, high musk flavor, excellent. Chasselas, Rose or Red, medium, round, pale red, sweet, good flavor, very productive.

Chasselas, White, medium, round, loose cluster, sweet, good flavor, estimable but secondary to others of the same class.

De Candolle, large, round, purple, beautiful, cluster very large, sweet, good quality, very productive; requires powerful heat to mature well.

Deccan's Superb, medium, oval, amber, fine flavor, requires great heat to become matured.

Delaware, small, round, clear red, thin skin, not a trace of pulp or foxy flavor, seeds few and small, very sweet, rich and juicy, vinous and aromatic with a slight musk flavor similar to Chasselas Musqué and Red Frontignan; excellent for table and wine; cluster small and compact; it makes delicious amber-colored wine; vine hardy, but of very slender delicate growth like the Rebecca until the third year, after which it grows vigorously. It is not productive when young, but very fully so when it attains considerable size and age; ripens the beginning of September, two or three weeks before the Isabella.

It requires to be protected by training it against a wall or house having a warm southern exposure, or on a trellis in a protected garden, and will then produce a perfect and abundant crop. It is as subject to weak and stinted growth and to mildew as any other foreign variety. This grape, has been widely disseminated as a true native variety, although the Germans in Ohio

have from the first declared it to be the Red Traminer of the Rhenish vineyards.

The writer (W. R. P.) having inspected the Vines at Delaware, Ohio, and elsewhere, has fully satisfied himself of its foreign origin. It appears to have been introduced to New Jersey by Mr. Provost, who emigrated from Switzerland, and brought this and other foreign Grapes with him. He cultivated these foreign vines only, as, at that time, no Native Grapes were regarded as suitable for vineyard culture. From Mr. P.'s ground vines were carried by his brother-in-law to Chester county, Penn., where some are now found over twenty years old. Joseph Heath, formerly an employé of Joseph Bonaparte at Bordentown, and now a resident of Delaware, Ohio, carried this vine from that garden to Delaware. Whether Bonaparte obtained his vines from Provost, or imported them direct from Europe is as yet unknown. If seedlings have been found similar, the seeds were undoubtedly dropped by birds, who are especially fond of its early small sweet berries.

The foreign origin of this Grape is also fully established by the fact, that from all recent investigations, it combines every specific attribute of the Vitis vinifera, and that it possesses none

whatever indicative of indigenous origin.

Dr. Garber of Pa., decides positively that it is not a pure native. Saml. Walker, Esq., Ex-President of the Mass. Horticultural Society, in response to a letter in which I stated my views as here presented, says:—"All you say about the Delaware Grape, I believe will prove to be true; all my plants are very weak and the leaves full of mildew; I think it will be a failure." Indeed, I have not seen any vines grown in open field culture that were not greatly affected by mildew, and this has also been the case in some protected gardens when on trellises.

These facts, however, by no means detract from the great excellence and value of this exquisite berry, but only serve to admonish us as to the extra care requisite for its success, and that we must view it as an appendage to the garden, and not as applicable to vineyard culture in

this latitude.

Esperione, small, round, dark purple, very large cluster, sprightly flavor, third quality; the vine hardy, vigorous growth, very productive, and suited to outdoor culture on walls and trellises.

Early White Malvasia, or Early White Sweetwater, medium, round, pale amber, similar in quality to the Golden Chasselas, but ripens ten days earlier. It is so hardy that it will fruit well under outdoor culture on walls and trellises.

Frankendale, quite distinct from Black Hamburg, of less size and not equal in quality, cluster

of similar size, and ripens at the same period.

Frontignau, Black, medium, round, long cluster, rich, musky, excellent, productive, early.
Frontignau, Grizzly, medium, round, gray, becoming red at maturity, medium sized cluster,

rich musky flavor, excellent, first quality, early, very productive.

Frontignan, White, medium, round, pale amber, rather large cluster, sweet, musk flavor, excellent, ripens rather early with the Chasselas varieties, vine hardy, productive, and may be grown under open culture in this latitude.

Gros Coulard, large and beautiful, thin skin, white, delicious flavor, long clusters, a superior

early variety of Chasselas.

Lombardy, or Flamed Tokay, round, bright red, sweet, medium flavor, second quality, very large cluster, very productive.

Macready's Early White, medium, oval, thin skin very juicy, fine flavor, hardy, productive.

Mill Hill Hamburg, large, purple, excellent flavor, ripens a month after Black Hamburg,

requires near.

Pitmaston White Cluster, one of the largest and finest varieties of the Chasselas, round, amber, never cracks, ripens early, bunch medium, compact. There appears to be a spurious variety under this name.

Portion noir, large, roundish, black, very handsome, peculiar flavor, much esteemed, very late.

Portuguese Muscat, a variety of the White Muscat of Alexandria, but sets its fruit better and has more of the musk flavor, large, oval, pale amber, excellent.

Prince Albert, or Barbarosa, large, ovate, black, large shouldered cluster, handsome, good flavor, ripens late.

Regnier de Nice (erroneously Reine or Queen of Nice), large, oval, white shaded with rose

color, very beautiful, large cluster, fine flavor.

Red Traminer, small, roundish, rose-color, sweet aromatic, pleasant for dessert, cluster small and compact, vine very hardy, productive. An esteemed Wine and Table Grape on the Rhine and in Switzerland.

Raisin de Calabre, large, round, white, large cluster, juicy, rich, musky flavor, excellent,

valuable for hanging late.

Royal Muscadine, White Nice or Xeres. These prove identical; medium, round, amber sweet, pleasant flavor, distinguished by its monstrous shouldered loose cluster from the true selas varieties, the bunch often weighing four to six pounds; vine of vigorous growth, good bearer, one of the hardiest of its class.

Syrian White, very large, oval, immense cluster, firm, and when allowed to hang until fully

matured, is very good, requires powerful heat to perfect its fruit.

Tokay des Jardins, a beautiful variety of Chasselas, small, rose-colored, very sweet, rich Chasselas flavor, very estimable.

Verdello, a Madeira grape, small, oval, white, finest quality, a great favorite, vine of strong growth, very productive. Victoria Hamburg, closely resembles the Black Hamburg, but appears to be an improved

variety

Wilmet's Black Hamburg, very large, round, compressed, very black, quality variable, often It must hang long after coloring in order to mature fully.

White Bual, pale amber, obovate, compact cluster, good flavor, ripens late.

White Corinth. This is not the Sultana; it is a small, white, seedless grape, in compact clusters, beautiful, sweet, very pleasant flavor.

White Gascoigne, large, ovate, large compact cluster, shouldered, fine flavor.

White Hamburg, large, oval, very handsome, large cluster, good, second quality in flavor.

White Muscat of Alexandria, large, oval, pale amber, long loose branching cluster, crisp, sweet, highest aromatic musky flavor, ripens late. A most exquisite fruit. Cannon Hall Muscat is a variety of this, and the Tottenham Park and Portuguese Muscats greatly resemble it.

White Riessling, small, compact cluster, sweet, pleasant flavor, very productive, a celebrated

Rhenish wine grape, and of easy outdoor culture here—being very hardy.

White Chasselas, medium, round, loose cluster, sweet, good flavor, estimable, but secondary to others of the same class.

White Tekay, medium, ovate, compact cluster, moderate size, sweet, perfumed, in flavor similar to the Golden Chasselas, much esteemed, hardy, productive, and suited to open culture.

Zinfardel (erroneously Zinfindal), full medium, round, black, thick bloom, very large, double shouldered cluster, requires to liang long after coloring to perfect its maturity.

